
Molannodes ephialtes nov.spec.

Material: China, Henan, Luoshan Co., Lingshan Mt., 300-500m, 31°54′N, 114°13′E, 25.-27.5.1989, leg. Kyselak: 3 ♂, 1 ♀ (HT, PT).



Braun, VFL 7,5 mm, ♀ 9 mm. ♂ KA: Vorderkante des 9.Segments in LA in der Dorsalhälfte weit nach vorne ausladend. 10.Segment häutig, in LA stumpf dreieckig, in DA breit dreieckig und in zwei Finger ausgezogen. OA gegabelt mit einem kurzen dorsalen und einem langen ventralen Lappen. Mittlere Anhänge in DA lang, schlank und mit nach innen gebogenen Spitzen, in LA gerade und in der Mitte von der Ventralkante her auf die Hälfte verschmälert, distal abgerundet. Dorsalteil der UA lang und schlank, leicht nach unten und innen gebogen, Ventralteil knapp halb so lang und hakig nach unten gebogen. PA mit einem stark sklerotisierten Haken, einem beborsteten, häutigen Dorsalfinger und mehreren paarigen ventralen und lateralen häutigen Zapfen, die verschiedene kurze, stumpfe Dornen tragen. – M.falcifer WIGGINS 1968 aus Assam ist einigermaßen ähnlich, hat aber am 10.Segment nur einen Distalfinger, eine weniger stark gebogene Kralle am PA und eine andere Bedornung an dessen häutigen Teilen.

Literatur

BANKS, N., 1930, Some Neuropteroid insects from North Borneo, particularly from Mt.Kinabalu, 13,455 ft. – Journal of the Fed.Malay.S.Mus. 16:419-429.

PARKER, C.R., WIGGINS, G.B., 1987, Revision of the caddisfly genus *Psilotreta* (Trichoptera: Odontoceridae). – Life Sci.Contr., Royal Ontario Mus. 144:1-55.

SCHMID, F., 1966, Le genre *Himalopsyche* BANKS (Trichoptera, Rhyacophilidae). – Ann.Soc.ent.Québec 11:123-176.

ULMER, G., 1951, Köcherfliegen von den Sunda-Inseln (Teil 1). – Arch.Hydrobiol.Suppl. 19:1-528.

WIGGINS, G.B., 1968, Contributions to the systematics of the caddisfly family Molannidae in Asia (Trichoptera). – Life Sci.Contr., Royal Ontario Mus. 72:1-26.

Verfasser: Dr.Hans Malicky, Sonnengasse 13 A – 3293 Lunz am See Austria



BRAUERIA (Lunz am See, Austria) 27:39-47 (2000)

TRICHOPTEROLOGICAL LITERATURE

Several authors have claimed that their papers were not included in this list. Please understand that I can only list those papers which I know. Help to complete the list by sending me reprints or references, including dissertations and similar papers. If you send reprints, please make sure that the complete reference is included, that is the title of the journal, the number of the volume, the year of publication, and the original page numbers. If you find mistakes in the list, e.g. incorrect writing of words in other languages, please let me know.

1987

Yamanouchi,O. 1987 Caddis fly at Nukabira, 4 (Insecta, Trichoptera). – Bull.Higashi Taisetsu Mus.Nat.Hist. 9:35-43.

1993

Darby,E.J. 1993 Charnwood Forest, Woodbrook. – Loughborough Naturalists' Club Ann.Rep. 1993:16-17.

Reusch,H., Blanke,D. 1993 Rote Liste der Eintags-, Stein- und Köcherfliegen des Landes Sachsen-Anhalt (1.Fassung, Stand: Januar 1993). – Ber.Landesamt Umweltschutz Sachsen-Anhalt 9:17-24.

Laukötter,G. 1993 Crunoecia irrorata. Porträt einer Köcherfliege der Quellen. – Crunoecia 2:85-88.

1994

Lo spermatozoo dei tricotteri nella fliogenesi del gruppo. – Atti Congr.Naz.Ital.Ent. 17:105-106.

Lubini,V. 1994 Hydrobiologische Untersuchungen am Unterlauf der Thur (Kanton Zürich, Schweiz). – I. Libellen, Eintags-, Stein-, Köcher- und Schlammfliegen (Insecta: Odonata, Ephemeroptera, Plecoptera, Trichoptera, Megaloptera). – Vierteljahrsschrift Naturf.Ges.Zürich 139:23-31.

Pannunzio,G. 1994 I tricotteri delle sorgenti del Pescara (Popoli, Abruzzo). – Atti Congr.Naz.Ital.Entomol. 17:423-426.

1995

Hacker,H. 1995 Insektenfauna der Gebirge Bayerns: aktueller Kenntnisstand und bemerkenswerte Funde aus den ostbayerischen Grenzgebirgen und den bayerischen Alpen. Ergebnisse der Kartierung der Naturwaldreservate Bayerns (Lepidoptera, Trichoptera, Neuropteroidea, Ephemeroptera, Odonata). – Beitr.Bayer.Entomofaunistik 1:199-265.

40

Lakatos, G.

1995 Frania, H.E., Wiggins, G.B.

1997

A nadhoz kotodo allatok. A nadszar viz alatti bevonatanak Analysis of morphological and behavioural evidence for the allatvilaga (zootekton). - Studia naturalia 8:27-35.

phylogeny and higher classification of Trichoptera (Insecta). - Life Sci.Contr., Royal Ontario Mus. 160:1-67.

1996

Becker, G.,

1996

Wechselwirkungen zwischen Weidegängern und Aufwuchs in Mittelgebirgsbach. Verh.Westdeutscher Heinrich, B. einem Entomologentag 1996:125-128.

Fischer, F., Bohle, H.W.

Anpassungen von Glossosomatiden an einen astatischen Lebensraum. Eiablageverhalten Agapetini). (Glossosomatidae, Agapetinae, Verh.Westdt.Entomologentag 1995:107-118.

Hwang, J.H., Yoon, I.B.

1996

A taxonomic study of subfamily Hydropsychinae from Korea Klima,F. (Trichoptera: Hydropschidae). - Ent.Res.Bull. 22:7-15.

Papier, F., Nel, A., Grauvogel-Stamm, L. 1996 Deux nouveaux insectes Mecopteroidea du Buntsandstein Kocharina, S.L. supérieur (Trias) des Vosges (France). - Paleontologia Lombarda 5:37-45.

Vuori, K.-M., Joensuu, I.

Impact of forest drainage on the macroinvertebrates of a Kreutzweiser, D.P. small boreal headwater stream: do buffer zones protect lotic Nontarget effects of neem-based insecticides on aquatic biodiversity? - Biol.Conservation 77:87-95.

1997

1997

Zwei heimische Köcherfliegen. – Mikrokosmos 86:29-31.

Axtmann, E.V., Cain, D.J., Luoma, S.N.

Effect of tributary inflows on the distribution of trace metals in Skale, A., Weigel, A. fine-grained bed sediments and benthic insects of the Clark Zur Insektenfauna (Coleoptera, Lepidoptera, Saltatoria, Ford River, Montana. - Environm. Sci. Technol. 31:750-758.

Botosaneanu, L., Bolland, H.R.

1997

A mite (Acari: Erythraeidae) as unusual parasite on an adult caddisfly (Trichoptera: Hydroptilidae) from the Dominican Republic (West Indies). - Stud.Nat.Hist.Carribaen Region 73:71-76.

Brettfeld.R.

Erstnachweis der Köcherfliege Orthotrichia costalis (Curtis, 1834) (Insecta: Trichoptera) für Thüringen. – Thüringer 1998 Faunist.Abh. 4:137-138.

Charbonneau, P., Hare, L., Carignan, R.

1997

Use of X - ray images and a contrasting agent to study the Biodiversidad de Artrópodos Argentinos. Ed.SVR, La Plata, behavior of animals in soft sediments. - Limnol.Oceanogr. Argentina.

42:1823-1828.

Dieterich, M., Anderson, N.H., Anderson, T.M. Shredder-collector interactions in temporary streams of the Ephemeroptera - Plecoptera - Trichoptera index. western Oregon. - Freshw.Biol. 38:387-393.

Di Giovanni.M.V.

1997

Un ricordo di Giampaolo Moretti (1910 - 1997). - Italian J.Zool.(Modena) 64:387-389.

1997

Insect architects: caddisfly larvae. Pp.18-23. - In: Xerces Society. Streamkeepers: aquatic insects as biomonitors. Xerces Society, Portland, Oregon, 65 pp.

Entwicklung Houp, R.E., Schuster, G.A.

Caddisflies (Insecta: Trichoptera) of the mainstem of the Kentucky River, Kentucky. - Trans.Kentucky Acad.Sci. 58:67-73.

1997

Die Köcherfliegenfauna (Trichoptera) der Locknitz. Beitr. Angew. Gewässerökol. Norddeutschlands 3:69-75.

1997

The larval retreats and food of three species of net-spinning caddis flies in a river of the foothill type (Russian Far East. South Primorye). - Russ.J.Aquat.Ecol. 6:43-51.

1997

invertebrates. - Ecotoxicology and Environm. Safety 36:109-

Park, S.J., Park, S.Y., Kim, J.S., Bae, Y.J.

1997

Altitudinal distribution of Ephemeroptera, Plecoptera and Trichoptera in a mountain stream of Chiaksan. Ent.Res.Bull. 23:37-42.

1997

Odonata, Trichoptera et Heteroptera) des NSG "Tannbach -Klingefelsen" (Saale-Orla-Kreis, Thüringen). - Thüringer Faun.Abh. 4:139-172.

Ujvarosi,L.

1997

Study on the Trichoptera fauna in the Romanian section of the river Crisul Alb catchment area, pp. 295-299. - In: Sarkany-Kiss, A., Hamar, J. (eds): The Cris/Körös river's valleys. - Tisza Klub & Liga Pro Europa, Szolnok & Targu Mures, 397 pp.

Angrisano, E.B.

Trichoptera, pp.374-384 in: Morrone, J.J., Coscarón, S. (eds.):

Baker, S.C., Sharp, H.F., Jr.

1998

1997 Evaluation of the recovery of a polluted urban stream using J.Freshw.Ecol. 13:229-234.

Bernabei, S., Di Girolamo, I., lavarone, I., Mancini, L. Alcune note sul populamento macrobentonico del Fiume Distribution and population dynamics of a litter-dwelling Arrone (Lazio – Italia). – Riv.Idrobiol. 37:203-209.

Bright, E., Bidlack, D.

Psilotreta indecisa and Agarodes distinctus (Trichoptera: Odontoceridae, Sericostomatidae): new state records and Lakes Ent. 31:199-200.

Broring.U.

Die Köcherfliegen der ostfriesischen Inseln. - Drosera 1:31- Distribution dynamics of epilithic insects in a lake littoral. -

Campbell, I.C., Parnrong, S., Treadwell, S. Food availability and life history patterns of aquatic insects in

Köcherfliegenfänge (Insecta, Trichoptera) aus Nord- und

evergreen eucalypt forest streams in southeastern Australia. Verh.IVL 26:986-989.

Charbonneau.P., Hare.L. Burrowing behavior and biogenic structures of mud-dwelling Cambaridae), in a north-central Wisconsin stream. - Great insects. - J.N.Am.Benthol.Soc. 17:239-249.

Collier, K.J., Smith, B.J.

1998

Dispersal of adult caddisflies (Trichoptera) into forests Houghton, D.C., Stewart, K.W. alongside three New Zealand streams. - Hydrobiologia Immature life stage descriptions and distribution of Culoptila 361:53-65.

Cummins, K.W., Wilzbach, M.A.

1998 A case for inside out (pathogenic) population control in a Houghton, D.C., Stewart, K.W. stream insect. - Verh.IVL 26:2035-2043.

Dunkel, F.V., Richards, D.C.

Effect of an azadirachtin formulation on six nontarget aquatic Ent. News 109:103-109. macroinvertebrates. - Environm.Ent. 27:667-674.

Fjellheim, A., Raddum, G.G.

1998

Life cycle and drift of Glossosoma intermedia (Trichoptera: Glossosomatidae) in western Norway. - Verh.Int.Ver.Limnol. 26:2048-2052.

Fochetti, R., Argano, R., Formichetti, P., Moretti, G.P. 1998 Lazio). - Riv.Idrobiol. 37:43-62.

Forsten, A., Silfverberg, H., Terhivuo, J.

1998

Accessions to the Zoological Museum of the Finnish Museum Keiper, J.B., Casamatta, D.A., Foote, B.A. of Natural History, University of Helsinki in 1997. -Mem.Soc.Fauna Flora Fenn. 74:89-91.

Goodyear, K.L., McNeill, S.

1998

Bioaccumulation of heavy metals by freshwater insect larvae. - Rev.Environm.Contamin.Toxicol. 158:129-146.

Griffith, M.B., Barrows, E.M., Perry, S.A. Lateral dispersal of adult aquatic insects (Plecoptera, Trichoptera) following emergence from headwater streams in forested Appalachian catchments. - Ann.Ent.Soc.Am. Hydroptilidae), a species newly recorded from Ohio. -91:195-201.

1998 Harding, D.J.L.

1998

caddis, Enoicyla pusilla (Trichoptera). - Appl.Soil Ecol. 9:203-208.

Harris, S.C., Pescador, M.L., Rasmussen, A.K. 1998 Two new species of microcaddisflies (Trichoptera: notes on the habitat of these species in Michigan. - Great Hydroptilidae) from northern Florida. - Florida Ent. 81:221-

1998 Harrison, S.S.C., Hildrew, A.G.

1998

Arch. Hydrobiol. 143:275-293.

Hohmann, M.

1998

Mitteldeutschland. - Naturw.Beitr.Mus.Dessau 10:191-201.

Houghton, D.C., Dimick, J.J., Frie, R.V.

Probable displacement of riffle-dwelling invertebrates by the introduced rusty crayfish, Orconectes rusticus (Decapoda: Lakes Ent. 31:13-24.

1998

(Ross) (Trichoptera: Glossosomatidae). Proc.Entomol.Soc.Wash. 100:511-520.

Seasonal flight periodicities of six microcaddisflies (Trichoptera: Hydroptilidae, Glossosomatidae) in the Brazos 1998 River, Texas, with notes on larval biology and site records. -

Jackson, J.E.

1998

Two new species of Conoesucus Mosely from Tasmania (Trichoptera: Lonoesucidae). - Mem.Mus.Victoria 57:133-

Johnson, Z.B., Riggs, A.K., Kennedy, J.H. 1998 Microdistribution and secondary production of Cymellus fratemus (Trichoptera: Polycentropodidae) from snag Le zoocenosi bentoniche del fiume Aniene (Italia Centrale, habitats in the Elm Fork of the Trinity River, Texas. - Ann Ent.Soc.Amer. 91:641-646.

> 1998 Incorporation of Batrachospermum gelatinosum into cases of Ochrotrichia (Rhodophyta) wojcickyi (Trichoptera: Hydroptilidae). - Ent. News 109:256.

> Keiper, J.B., Casamatta, D.A., Foote, B.A. 1998 Use of algal monocultures by larvae of Hydroptila waubesiana and Oxyethira pallida (Trichopera: Hydroptilidae). - Hydrobiologia 380:87-91.

Keiper, J.B., Foote, B.A.

1998

Biological notes on Ochrotrichia xena (Ross) (Trichoptera: Proc.Ent.Soc.Washington 100:594-595.

Kittel,K. 1998 Park, S.J., Bae, Y.J. Muschel- und Schneckengehäuse als Baumaterial für New records of the Limnephiloidea (Insecta: Trichoptera) Köcherfliegenlarven. –Club Conchylia Inform. 30:29-31. from Korea. - Korean J.Syst.Zool. 14:361-370.

Koperski,P. Feeding in epiphytic, carnivorous insects: resource A review of Goerita (Trichoptera: Goeridae), with description

partitioning and the avoidance of intraguild predation. -Arch. Hydrobiol. 142:467-483.

Kumanski, K. 1998 Rhyacophila margaritae – a new insect species (Trichoptera: Rhyacophilidae) from Bulgaria. - CR Acad.bulg.Sci. 51:59-

Kuranishi, R.B., Nozaki, T., Kuhara, N. 1998 A new record of Ecclisomyia kamtschatica (Trichoptera: Limnephilidae) from Japan, with descriptions of immature stages. - J.Nat.Hist.Mus.Inst.Chiba 5:47-50.

Laasonen, E.M., Laasonen, L., Nybom, O. 1998 Trichoptera in Finnish biogeographical provinces. Ent.Fenn. 9:115-136.

Larsson, M.C., Hansson, B.S. 1998 Receptor neuron responses to potential sex pheromone components in the caddisfly Rhyacophila nubila (Trichoptera: Rhyacophilidae). - J.Insect Physiol. 44:189-196.

Liess.M. 1998 Significance of agricultural pesticide on macroinvertebrate communities. 26:1245-1249.

1998 Majecki, J., Majecka, K. Predation of Oligotricha striata (Trichoptera, Phryganeidae) larvae on amphibian eggs. - Amphibia-Reptilia 19:230-233.

Moravec, F., Skorikova, B. 1998 Amphibians and larvae of aquatic insects as new paratenic hosts of Anguillicola crassus (Nematoda: Dracunculoidea), a swimmbladder parasite of eels. -Diseases aquat.Organisms 34:217-222.

Oliveira, L.G., Bispo, P.C., de Sa, N.C. 1998 Ecologia de comunidades de insetos - bentonicos (Ephemeroptera, Plecoptera e Trichoptera), em corregos do Parque Ecologico de Goiania, Goias. Rev.Brasil.Zool. 14:867-876.

1998 Olsvik, H., Johanson, K.A. Semblis phalaenoides (Linnaeus, 1758) recorded in Norway (Trichoptera: Phryganeidae). - Fauna norv.Ser.B 45:106-107.

Pannunzio, G., Osella, G., Cianficconi, F., Moretti, G.P. Ricerche faunistiche sulla palude della Zittola (Abruzzo -Molise). IV. I Tricotteri. - Riv.Idrobiol. 37:69-88.

Park, S.J., Bae, Y.J. 1998 Korea. - Ent.Res.Bull.(Seoul) 24:33-42.

1998 Parker, C.R. 1998

1998

of a new species. - Insecta Mundi 12:227-238.

Peterson, C.G., Vormittag, K.A., Valett, H.M. 1998 Ingestion and digestion of epilithic algae by larval insects in a heavily grazed montane stream. - Freshw. Biol. 40:607-623.

Plaque, G.R., McArthur, J.V. Genetic diversity vs geographic distribution of five congeneric caddisflies. - Hydrobiologia 362:1-8.

Randriamasimanana, D., Gibon, F.-M. Biodiversité aquatique de Madagascar, 20: Description et répartition de trois nouveaux Oecetis appartenant au groupe testacea (Trichoptera, Leptoceridae). - Revue fr. Ent.(N.S.) 20:33-40.

Randriamasimanana, D., Gibon, F.-M. Biodiversité aquatique de Madagascar, 25: Description et répartition de six nouveaux Oecetis appartenant au groupe lais (Trichoptera, Leptoceridae). - Revue fr. Ent.(N.S.) 20(4):145-155.

Rust.J. 1998 Biostratinomie von Insekten aus der Fur-Formation von stream Dänemark (Moler, oberes Paleozän/ unteres Eozän). -- Verh.Int.Ver.Limnol. Paläontol.Ztschr. 72:41-58.

> Schulz,R. 1998 Macroinvertebrate dynamics in a stream receiving insecticide-contaminated runoff. - Verh.Int.Ver.Limnol. 26:1271-1276.

> Smith, B.J. 1998 The larva of Hydrobiosis gollanis Mosely (Trichoptera: Hydrobiosidae). - NZ J.Zool. 25:421-428.

> Solinas.M. 1998 Commemorazione dell'accademico ordinario Giampaolo Moretti (1910 - 1997). - Atti Accad.Naz.Ital.Entomol.Rendic. 46:53-79.

> Sturkie.S.K., Morse.J.C. 1998 Larvae of the three common North American species of Phylocentropus (Trichoptera: Dipseudopsidae). - Insecta Mundi 12:175-179.

1998 Sykora, J.L. New species of Cemotina Ross (Insecta: Trichoptera: Polycentropodidae) from the Amazon Basin in northeastern 1998 Peru and northern Brazil. - Ann. Carnegie Mus. 67:95-104.

Temech, A., Grzybkowska, M., Majecki, J., Ligowski, R. 1998 Seston composition and food preference of Trichoptera larvae Hydropsyche angustipennis Curtis 1834 in two Checklist of the Limnephiloidea (Insecta: Trichoptera) of lowland rivers (Central Poland). - Polskie Arch. Hydrobiol. 45:55-63.

Uherkovich, Á., Nógrádi, S. 41-42:49-62.

Ujvarosi,L. Four Trichoptera species new in the Romanian fauna. -Entomol.rom. 3:73-78.

Uivárosi,L. 1998 Trichopterele (Insecta: Trichoptera) din zona Cheile Someşului Cald (Ic Ponor). - Bul.inf.Soc.lepid.rom. 9:265-

Vallania, E.A., Medina, A.L., Sosa, M.E. Estructure de la comunidad de Trichoptera en un arroyo regulado de la provincia de San Luis, Argentina. -Rev.Soc.Entomol.Argentina 57:7-11.

Varga,I., Andrikovics,S., Hufnagel,L. 1998 New data on the macrofauna of Lake Fertő, Hungary. -Opusc.Zool.(Budapest) 31:143-148.

Vuori, K.-M., Joensuu, I., Latvala, J., Jutila, E., Ahvonen, A.

Forest drainage: a threat to benthic biodiversity of boreal headwater streams? - Aquat.Conserv.:Mar.Freshw.Ecosyst. 8:745-759.

1998 Wang, B., Sun, C., Yang, L. Trichoptera. – Fauna and taxonomy of insects in Henan 2:258-261.

1998 Widdig,T. Rote Listen der Köcherfliegen (Trichoptera) Hessens (1.Fassung, Stand Februar 1998): 38 pp. – Hess.Ministerium Bueno-Soria, J., Barba-Alvarez, R. des Inneren, Wiesbaden.

Wiggins, G.B. The caddisfly family Phryganeidae (Trichoptera). - Univ.of genus. - Ent.News 110:118-122. Toronto Press, 306 pp.

Williams, D.D., Williams, N.E. Aquatic insects in an estuarine environment: densities, distribution and salinity tolerance. – Freshw.Biol. 39:411-421.

Zhang, Y.-P. intermedius Schmid (Trichoptera: Limnephilidae). - Ent.Sci. (Umbria). - Boll.Soc.ent.ital. 131:147-177. 1:81-85.

Zwick,P. Micrasema longulum (Trichoptera: Brachycentridae) builds a 77:259-309. special pupation chamber. - Annls.Limnol. 34:437-444.

1999

Andrikovics, S., Kiss, O. 1999 79:300-302.

1998 Barnard, P.C. 1999 The caddisfly (Trichoptera) fauna of the Szatmar-Bereg Trichoptera: the caddisflies. - In: Barnard, P.C. (ed.): Plain, northeast Hungary. - Janus Pannonius Múz. Évkönyve Identifying British Insects and Arachnids: an annotated

> bibliography of key works. Cambridge Univ. Press. Cambridge: 141-144.

> Benke, A.C., Huryn, A.D., Smock, L.A., Wallace, J.B. 1999 Length-mass relationships for freshwater macroinvertebrates in North America with particular reference to the southeastern United States. - J.N.Am.Benthol.Soc. 18:308-343.

> About Rhyacophila hirticomis McLachlan, 1879, and two closely related taxa (Insecta, Trichoptera, Rhyacophilidae). -Spixiana 22:167-172.

Botosaneanu.L. 1999 Fernand Schmid 22.XI.1998. 12.V.1924 Mitt.Schweiz.Ent.Ges. 72:111-1V.

Botosaneanu, L., Hyslop, E.J. 1999 Additional contribution to the knowledge of the caddisfly fauna of Jamaica (Trichoptera). - Ent.Z. (Stuttgart) 109:325-329.

Brinkmann, R., Speth, S. 1999 Eintags-, Stein- und Köcherfliegen Schleswig-Holsteins und Hamburgs - Rote Liste. - Landesamt für Natur und Umwelt des Landes Schleswig-Holstein, Flintbek. 44 pp.

Bueno-Soria, J. 1999 Studies in aquatic insects XV: New species of Neotrichia and first record of Oxyethira hilosa (Trichoptera: Hydroptilidae) from Mexico. - Ent.News 110:113-117.

1999 Studies in aquatic insects XVI: Two new species of the (Trichoptera: microcaddisfly genus Mejicanotrichia 1998 Hydroptilidae) from Mexico, with a key to the species in the

Choe, H.-J., Kumanski, K., Woo, K.-S. 1999 1998 Taxonomic notes on Limnephilidae and Goeridae (Trichoptera: Limnephiloidea) of Korea. - Korean J.Syst.Zool. 15:27-49.

1998 Cianficconi, F., Mazzerioli, S., Moretti, G.P., Salerno, P. 1999 Description of female, pupa and larva of Hydatophylax La tricotterofauna di due sistemi tributari del F.Chiascio

> Cianficconi,F., De Pietro,R., Gerecke,R., Moretti,G.P. Catalogo die Tricotteri della Sicilia. - Mem.Soc.ent.ital.

> Czachorowski, S. Methods of recording and faunistical research of spring habitats in Poland. - Crunoecia 6:63-66.

Czachorowski, S., Buczyński, P. A gerinctelen makrofauna funkcionális táplálkozásbiológiai Uwagi o chruścikach (Insecta: Trichoptera) Poleskiego Parku csoportjai az Eger-patak mentén. - Hidrológiai közlöny Narodowego i jego okolic. - Parki nar.Rez.przyr.(Białowieża) 18.2:103-110.

Depisch.B. Hydrobiologische Untersuchung des Radibachsystems. -Diplomarbeit, Univ.Graz, 178 pp.

Dobson, M. Aggregation of Potamophylax cingulatus (Trichoptera: Limnephilidae) larvae in response to possible food limitation in a southern French stream. – Arch. Hydrobiol. 145:317-329.

Dorn, A., Weinzierl, A. Nochmals: Stein- und Köcherfliegen-Nachweise entlang der Münchener Isar (Insecta: Plecoptera, Trichoptera). Lauterbornia 36:3-7.

Dudgeon, D. Tropical Asian Streams: Zoobenthos, Ecology Conservation. – Hongkong University Press, XII+830 pp.

Englund, G., Evander, D. 1999 Interactions between sculpins, net-spinning caddis larvae and midge larvae. - Oikos 85:117-126.

Extence, C.A., Balbi, D.M., Chadd, R.P. River flow indexing using British benthic macroinvertebrates: Bemerkenswerte Köcherfliegen-Fänge (Insecta, Trichoptera) a framework for setting hydroecological objectives. - im Tiefland Sachsen-Anhalts. - Lauterbornia 36:33-40. Regulated Rivers 15:543-574.

Flint, O.S., Jr., Bueno-Soria, J. Peru. - Proc.Ent.Soc.Wash. 101:729-736.

Flint, O.S., Jr., Pérez-Gelabert, D.E. Nov.Carib. 1999(1):33-46.

Flint, O.S., Jr., Holzenthal, R.W., Harris, S.C. 1999 Catalog of the neotropical caddisflies (Insecta: Trichoptera). - Ohio Biol. Survey (Columbus, Ohio), 239 pp.

Flint, O.S., Jr., Holzenthal, R.W., Harris, S.C. Nomenclatural and systematic changes in the neotropical caddisflies (Insecta: Trichoptera). - Insecta Mundi 13:73-84.

Friberg, N., Jacobsen, D. Variation in growth of the detritivore-shredder Sericostoma personatum (Trichoptera). - Freshw.Biol. 42:625-635.

Gibon, F.-M., Andriambelo, P.Z. 1999 A regional analysis of species associations and distribution of two caddisfly families (Trichoptera: Hydropsychidae and Philopotamidae) in southeastern Madagascar. - Fieldiana Zoology N.S. 94:97-109.

1999 Giudicelli, J., Botosaneanu, L. The remarkable case of a water striding, mainly brachypterous new species of Rhyacophila Ann.Soc.Ent.Fr.(N.S.) 35:265-273.

1999 Graf, W., Depisch, B. 1999 Laterale Biotopvielfalt und ihre Bedeutung für die Köcherund Steinfliegenfauna (Insecta: Trichoptera; Plecoptera) am eines Wildbach-Systemes in Kärnten.

Tagungsber.Dt.Ges.Limnol. 1998:749-752.

Graf, W., Konar, M. 1999 Rote Liste der Köcherfliegen Kärntens (Insecta: Trichoptera). Pp. 201-212 in: Rottenburg, T., Wieser, C., Mildner, P., Holzinger, W.E. (eds.): Rote Listen gefährdeter Tiere Kärntens. - Naturschutz in Kärnten 15, 718 pp. (Klagenfurt).

Harthun, M. Der Einfluß des Bibers (Castor fiber albicus) auf die Fauna (Odonata, Mollusca, Trichoptera, Ephemeroptera, Diptera) von Mittelgebirgsbächen in Hessen (Deutschland). -Limnologica 29:449-464.

Hayashi, Y., Yun, S.-J. 1999 Association of larval and adult stages of Cheumatopsyche galloisi (Matsumura, 1931) (Trichoptera: Hydropsychidae) using esterase zymograms. - Japan.J.Limnol. 60:379-384.

1999 Hohmann.M. 1999

1999 Holzenthal, R.W., Harris, S.C. 1999 Studies of neotropical caddisflies LVIII: New species of the The genus Costatrichia Mosely in Costa Rica, with a review genus Ochrotrichia Mosely (Trichoptera: Hydroptilidae) from of the neotropical species (Trichoptera: Hydroptilidae). -Proc.Ent.Soc.Wash. 101:540-568.

1999 Ito,T. 1999 Checklist of the caddisflies (Trichoptera) of Hispaniola. - Lepidostomatid caddisflies of the Ryukyu Islands, southernmost part of Japan with description of a new species and the species groups of the genus *Goerodes* (Trichoptera). Entomol.Science 2:493-502.

> Ito,T. 1999 Life history of a net-spinning caddisfly, Parapsyche shikotsuensis in a headwater stream of Hokkaido, northern Japan. - Jap.J.Limnol. 60:159-175.

> 1999 Taxonomic notes on lepidostomatid caddisflies and description of a new species from Japan (Trichoptera). -Jap.J.Limnol. 60:319-333.

> Jackson, J.K., McElravy, E.P., Resh, V.H. 1999 Long-term movements of self-marked caddisfly larvae (Trichoptera: Sericostomatidae) in a California coastal mountain stream. - Freshw.Biol. 42:525-536.

> Johanson, K.A. 1999 Revision of the New Zealand Helicopsyche (Trichoptera: Helicopsychidae). - Ent.scand. 30:263-280.

1999 Pictet Johanson, K.A. (Trichoptera) from the river Sorgue (Southern France). - Seventeen new Helicopsyche species from New Caledonia (Trichoptera, Helicopsychidae). - Tijd.Ent. 142:37-64.

Kocharina, S.L. Biology and ecology of Stenopsyche marmorata Navás Beitrag zur Kenntnis der Köcherfliegen-Fauna (Russian Far East). - Far Eastern Ent. 73:1-16.

Stoichev, S., Kovachev, S., Uzunov,Y., Memeti,A. Hydrofaunistic study of the Tetovska River, Macedonia. -Lauterbornia 36:67-70.

Malicky,H. Eine Köcherfliegen-Ausbeute aus dem Jemen (Trichoptera). - Esperiana 7:343-348.

Malicky, H. 1999 Einige Köcherfliegen von der Insel Sokotra (Insecta, Trichoptera). - Ent.Z. 109:492-495.

Malicky, H. 1999 Köcherfliegen (Trichoptera) Marchfeldkanal vom (Niederösterreich). – Z.Arbgem.Öst.Ent. 51:89-98.

Malicky.H. Bemerkungen über die Verwandtschaft von Hydropsyche pellucidula Curtis (Trichoptera, Hydropsychidae). - Linzer biol.Beitr. 31:803-821.

1999 Malicky,H. Köcherfliegen (Trichoptera) aus der Umgebung Visperterminen, 800-1400m (Schweiz, Kanton Wallis). -Ent.Ber.Luzern 42:103-108.

Malicky, H. Beiträge zur Insektenfauna von Jamaika, Westindien (Karibik). 4. Eine kleine Köcherfliegenausbeute (Trichoptera) aus Jamaika. - Ent.Ber.Luzern 42:115-118.

Marchant, R., Hehir, G. Growth, production and mortality of two species of Agapetus (Trichoptera: Glossosomatidae) in the Acheron River, southeast Australia. - Freshw.Biol. 42:655-671.

Mev.W. Notes on the taxonomy and phylogeny of Apsilochorema choptera, Leptoceridae). - Revue fr.Ent.(N.S.) 21(1):15-24. (Trichoptera, 1907 Hydrobiosidae). Mitt.Mus.Naturk.Berlin, Dt.ent.Z. 46:169-183.

Moroz, M.D., Czachorowski, S., Lewandowski, K. Water insects (Insecta: Ephemeroptera, Plecoptera, Heteroptera, Trichoptera) of the projected Schöll, F., Hardt, D. landscape reserve "Olmany wetlands". - Prirodnije resursi 3:111-117. (In Belarussian)

Moulton, S.R.II., Harris, S.C. taxonomic enigma. - J.N.Am.Benthol.Soc. 545-552.

Nadig, A., Sauter, W., Zoller, H. einer Synthese. - Ergebnisse wiss. Unters. Schweiz. Trichoptera) fauna of the Olt River Basin. Nationalpark 12E:1-118. (Trichoptera:pp.32-33).

1999 Neu.P.J. 1999 (Trichoptera: Stenopsychidae) in the Kedrovaya River Echtersbachtales bei Brecht (Südeifel) (Insecta: Trichoptera). - Dendrocopos 26:301-318.

> Kumanski, K., Nishimoto, H., Tanida, K., Gall, W.K., Minakami, N. 1999 Discovery of the genus Larcasia (Trichoptera, Goeridae) in Japan, with the descriptions of two new species. -Entomol.Science 2:425-438.

> > Nógrádi, S., Uherkovich, Á. 1999 Caddisflies (Trichoptera) of the Hungarian section of River Tisa. - In: Hamar, J., Sárkány-Kiss, A. (eds.): The Upper Tisa valley. - Tiscia monograph series (Szeged): 427-437.

> > Nógrádi, S., Uherkovich, Á. Studies on the caddisflies (Trichoptera) of the Gemenc Landscape Protection Area (Duna - Dráva National Park). South Hungary. - Janus Pann. Múz. Évkönyve 43:65-73.

> > Nozaki, T., Tanida, K., Ito, T. Checklists of Trichoptera in Japan. 3. Limnocentropodidae, Phryganopsychidae, Phryganeidae, Brachycentridae and Apataniidae. - Jap.J.Limnol. 60:347-366.

> > Nozaki, T. 1999 Synonymic notes on a Japanese Hydatophylax (Trichoptera: Limnephilidae). - Aquatic Insects 21:301-302.

> > Petersen, I., Winterbottom, J.H., Friberg.N., Orton,S... 1999 Hildrew.A.G., Spiers.D.C., Gurnev.W.S.C. Emergence and lateral dispersal of adutl Plecoptera and Trichoptera from Broadstone Stream, U.K. - Freshw.Biol. 42:401-416.

> > De Pietro, R. 1999 Identification of the larvae of Hydropsyche species from Sicily and peninsular Italy (Trichoptera, Hydropsychidae). -Arch Hydrobiol.Suppl. 121:91-117.

> > Randriamasimanana, D., Gibon, F.-M. Biodiversité aquatique de Madagascar. 27: Les Oecetis appartenant aux nouveaux groupes oliae et marojejvensis (Tri-

Sangpradub, N., Giller, P.S., O'Connor, J.P. 1999 Life history patterns of stream-dwelling caddis. -1999 Arch. Hydrobiol. 146:471-493.

1999 Wiederfund von Brachycentrus subnubilus (Insecta. Trichoptera) in der Elbe. – Lauterbornia 36:41-42.

1999 Stuijfzand, S.C., Engles, S., v. Ammelrooy, E., Jonker, M. 1999 Redescriptions of the Oxyethira aeola group species in North Caddisflies (Trichoptera: Hydropsychidae) used for America (Trichoptera: Hydroptilidae): classification of a evaluating water quality of large European rivers. -Arch.Environm.Contam.Toxicol. 36:186-192.

1999 Ujvárosi, L., Chişu, S.C. Ökologische Untersuchungen im Unterengadin. Versuch Contribution to the knowledge of the caddis flies (Insecta: Transylv.Rev.Syst.Ecol.Res. 1:129-142.

46

Vieira-Lanero, R., González, M.A., Cobo, F. 1999 Descripción de la larva de Glossosoma privatum McLachlan, 1884 (Trichoptera, Glossosomatidae). - Boln. Asoc. esp. Ent. Arefina, T. 23:15-23.

Vuori, K.-M., Luotonen, H., Liljaniemi, P. Environment Research (Helsinki) 4:187-2000.

Ward.J.B. Zealand subregion. = Rec.Canterbury Mus. 13:75-95.

Ward, J.B., [and 20 co-authors] Insects and other arthropods of Hinewai Reserve, Banks Peninsula, New Zealand. – Rec.Canterbury Mus. 13:97-121.

Wassermann, G. (ed.) 10 Jahre Gießgang Greifenstein. – Schriftenreihe Forschung im Verbund (Wien: Öst.Elektrizitätswerke-AG) 47:1-250. [Trichoptera: pp.245-246]

1999 Weigelhofer, G., Waringer, J.A. Woody debris accumulations - important ecological components in a low order forest stream (Weidlingbach, Lower Austria). - Int.Rev.Hydrobiol. 84:427-437.

1999 Weinzierl, A. Neues über Molanna nigra und einige seltenere Leptoceridae Dobson, M., Poynter, K., Cariss, H. aus Bayern (Insecta: Trichoptera). - Lauterbornia 36:9-12.

Wells.A. The micro-caddisflies of Lord Howe Island (Hydroptilidae: Trichoptera: Insecta). - Aquat.Insects 21:221-230.

Whiles, M.R., Goldowitz, B.S., Charlton, R.E. 1999 Life history and production of a semi-terrestrial limnephilid caddisfly in an intermittent Platte River wetland. J.N.Am.Benthol.Soc. 18:533-544.

1999 Wiberg-Larsen, P. Macroinvertebrate biodiversity in restored freshwater habitats - the importance of dispersal. - In: Friberg, N., Carl, J.D. (eds.): Biodiversity in benthic ecology. NERI Technical report 1884 (Trichoptera: Hydroptilidae: Ptilocolepinae) with noes no.266, pp.39-45.

Wiberg-Larsen, P., Brodersen, K., Birkholm,S., Grøn.P.. 1999 Vårfluer – biodiversitet i danske vandløb. – Vand & Jord 6:51-54.

1999 Wiberg-Larsen, P., Holm, P. Vårfluen Hydroptila martini Marshall, 1977 – ny for Danmark og NV-Europa (Trichoptera: Hydroptilidae). - Ent.Meddr. European streams. - Int.Rev.Hydrobiol. 85:25-48. 67:117-121.

1999 Wiberg-Larsen, P., Karsholt, O. The traffic of adult Trichoptera above the city of Copenhagen invertebrate communities. - Mitt.Dt.Ges.allg.angew. Ent. (Denmark). - Ent.Meddr. 67:123-136.

2000

2000 Dr. Iya Mikhailovna Levanidova 85 years. – Braueria 27:5-7.

1999 Arefina, T.I. 2000 Benthic macroinvertebrates and aquatic mosses in pristine A new species of the genus Glossosoma Curtis (Trichoptera: streams of the Tolvajärvi region, Russian Karelia. - Boreal Glossosomatidae) from the Russian Far East. - Braueria 27:21-22.

1999 Baltes, B. 2000 An annotated checklist of the caddis (Trichoptera) of the New Einfluß der Gewässerversauerung auf aquatische Insekten. – Mitt.Dt.Ges.allg.angew.Ent. 12:231-235.

> Cianficconi, F., Moretti, G.P. 2000 Silk weave and silk glands in aquatic instars of two species of Helicopsyche Siebold, 1856 von (Trichoptera, Helicopsychidae). - Aquat. Insects 22:58-65.

> Cianficconi, F., Salerno, P. 2000 A new species of Athripsodes (Trichoptera: Leptoceridae) from central-southern Italy. – Braueria 27:15-16.

> Dean, J.C. 2000 Preliminary keys for the identification of Australian caddisfly larvae of the families Antipodoeciidae, Atriplectididae, Limnephilidae and Plectrotarsidae. - Identification Guide no. 31:1-16 (Cooperative Research Centre for Freshwater Ecology, Thurgoona, Australia).

> 2000 Case abandonment as a response to burial by Potamophylax cingulatus (Trichoptera: Limnephilidae) Aquat.Insects 22:99-107.

2000 Gerecke, R. Water mites as parasites of Trichoptera: Invitation for cooperation. - Braueria 27:4

2000 Giudicelli, J., Bouzidi, A., Ait Abdelaali, N. Contribution à l'étude faunistique et écologique des simulies (Diptera: Simuliidae) du Maroc. IV.Les simulies du Haut Atlas. Description d'une nouvelle espèce. – Ann.Limnol. 36:57-80.

González, M.A., Vieira-Lanero, R. Cobo, F. 2000 The immature stages of Ptilocolepus extensus McLachlan, on biology. – Aquat. Insects 22:27-38.

2000 Hoffmann.A. The association of the stream caddisfly Lasiocephala basalis (Kol.) (Trichoptera: Lepidostomatidae) with wood. -Int.Rev.Hydrobiol. 85:79-93.

2000 Hoffmann, A., Hering, D. Wood-associated macroinvertebrate fauna in Central

Küry, D., Zschokke, S. 2000 Short-term consequences of river restauration on macro-12:237-240.

Malicky, H. 2000 Which caddis larvae construct a new case for pupation? – Braueria 27:19-20.

Malicky, H. 2000
Einige neue Köcherfliegen aus Sabah, Nepal, Indien und
China (Trichoptera: Rhyacophilidae, Hydrobiosidae,
Philopotamidae, Polycentropodidae, Ecnomidae,
Psychomyiidae, Hydropsychidae, Brachycentridae,
Odontoceridae, Molannidae). – Braueria 27:32-39.

Malicky, H., Chantaramongkol, P., Chaibu, P., Thamsenanupap, P., Thani, I. 2000 Acht neue Köcherfliegen aus Thailand. – Braueria 27:29-31.

Nimmo, A.P. 2000

Fernand Schmid. Personal memories. - Braueria 27:9-10.

Pearson,R.G., Connolly,N.M. 2000 Nutrient enhancement, food quality and community dynamics in a tropical rainforest stream. – Freshw.Biol. 43:31-42.

De Pietro, R. 2000 Species richness and assemblage structure A new species of *Tinodes* from Sicily and southern Italy (Trichoptera, Psychomyiidae). – Braueria 27:11-13.

Ruiter, D.E. 2000
Generic key to the adult ocellate Limnephiloidea of the Western Hemisphere (Insecta: Trichoptera). — Misc. Contr. Ohio Biol. Survey 5:1-22.

Schulz, C.-J. 2000 Aquatische Insekten der Wipper, einem salzbelasteten Fluß Nordthüringens. - Mitt.Dt.Ges.allg.angew.Ent. 12:249-254.

Sipahiler,F. 2000 New *Rhyacophila* (Trichoptera, Rhyacophilidae) species from France and Spain. – Aquat.Insects 22:138-147.

Sipahiler, F. 2000 Redescription of *Sericostoma flavicome* Schneider, 1845 and a new species of genus *Sericostoma* Latreille from Turkey (Trichoptera, Sericostomatidae). – Braueria 27:23-25.

Sipahiler, F. 2000 New species and subspecies of Trichoptera from Turkey (Hydroptilidae, Philopotamidae, Phryganeidae, Lepidostomatidae). – Braueria 27:26-28.

Spänhoff,B., Alecke,C., Meyer,E.I. 2000 Colonization of submerged twigs and branches of different wood genera by aquatic macroinvertebrates. — Int.Rev.Hydrobiol. 85:49-66.

Urbanič, G., Krušnik, C., Malicky, H. 2000 Rhyacophila schmidinarica, a new species of the philopotamoides group (Trichoptera: Rhyacophilidae) from the northern Balkan Peninsula. – Braueria 27:17-18.

2000 Ward, J.B., Mary, N.J.
 2000
 2000 Xanthochorema paniensis (Trichoptera, Hydrobiosidae) new species from upland New Caledonia. – Aquat. Insects 22:71-76.

Waringer, J., Graf, W., Maier, K.-J. 2000 The larva of *Metanoea flavipennis* Pictet, 1834 (Trichoptera: Limnephilidae: Drusinae). – Aquat. Insects 22:66-70.

Warnke,S., Hering,D. 2000 Composition, microdistribution and food of the macroinvertebrate fauna inhabiting wood in low-order mountain streams in Central Europe. – Int.Rev.Hydrobiol. 85:67-78.

Wermuth, P. 2000 Bioindikation der Gewässerverhältnisse an der Birs (CH, kanton Basler-Land) mit Hilfe von Emergenzfallen. -Mitt.Dt.Ges.allg.angew.Ent. 12:255-257.

Wiberg-Larsen, P., Brodersen, K.P., Birkholm, S., Grøn, P.N., Skriver, J. 2000 Species richness and assemblage structure of Trichoptera in Danish streams. – Freshw.Biol. 43:633-647.

